

www.coilwindingmachines.eu

Tel: +44(0)1684 273164 Fax: +44(0)1684 273171 Email: enquiry@ingridwest.co.uk by Ingrid West Machinery Ltd

Unit 5L, Delta Drive, Tewkesbury, Glos. GL20 8HB. United Kingdom.

Tensioner meters.

Model No.	Range	Resolution	Tension Units
TX-125	0-125g	0.1 to 1g	cN, grams or lb
TX-1000	10-1000g	1 to 5g	N, grams or lb
TX-5000	50-5000g	5 to 10g	N, grams or lb

Large, easy to read backlit, graphic display with adjustable backlighting and contrast. Data Logging feature included; Capture and view data within a user-defined time window. Select the time window; then select the sampling rate (from 1-100 Hz).

- Active, color changing Bar Graph
- Select Material and Size. Instrument automatically adjusts the calibration
- Minimum and Maximum values




Indicate real-time speed in FPM, or MPM. Maximum measurable speed is 9,999 FPM or 9,999 meters per minute, however line speeds in excess of 2,000 FPM are generally unsafe for hand-held applications. Read length of part run in feet or meters. Maximum length measuring up to 9,999 meters or feet.



Analog Output Option for both speed and tension values. 0-5 VDC or 4 -20 mA with software-definable ending sequences. Provided with 10' cable. Data outputted at 40Hz.




Provided with 10' cable to interface with your receiving device. Select data sampling rate from 1, 2 or 5 Hz. After capturing the data, review the data on the instrument's display or upload it using the 10' serial interface cable.



Order code:- [Model number] + [options]

e.g. tx1-1000-S-E







We aim to be much more than a machinery supplier. Our team has a vast range of winding experience and is able to offer help and advice on all aspects of coil winding, from tooling design to machine choice and set-up.

~ Coil winding solutions you can rely on ~



